PTO/SB/08A (10-96)
Approved for use through 10/31/99. OMB 0851-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
collection of information unless it contains a valid OMB control supplies.

Reduction Act of 1995, no persons are required to respond to a

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete If Known Application Number 10/645,350 Filing Date August 21, 2003 First Named Inventor Teng Ma Group Art Unit 1636 Examiner Name James S. Ketter 21864 FIT

| Sheet | | 1 | of | 1 | Attorney Docket Number | 31864.UT | | |
|----------------------|-------------|--|---|--|--|---|----|--|
| | | | OTHER PRIO | R ART - NON PAT | ENT LITERATURE DOCUMEN | πs | | |
| Examiner Initials | Cite No. | | | | | | | |
| M | AA | | | | | | | |
| | AB | INGRAM ET AL.; "Three-Dimensional Growth Patterns of Various Human Tumor Cell Lines In Simulated Microgravity of A NASA Bioreactor;" In Vitro Cell. Dev. Biol Annual; pages 459-466; June 1997 | | | | | | |
| | AC | BANNU ET AL.; "Cytokine-Augumented Culture of Haematopoietic Progenitor Cells in a Novel Three- Dimensional Cell Growth Matrix;" Cytokine; Vol 13, No. 6; March 21, 2000; pages 349-358 | | | | | | |
| | AD | BAGLEY ET AL.; "Extended culture of militipotent hematopoietic progenitors without cytokine augmentation in a novel three-dimensional device;" Experimental Hematoloty 27 (1999); pages 496-504 | | | | | | |
| | AE | OBRADOVIC ET AL.; "Gas Exchange is Essential for Bioreactor Cultivation of Tissue Engineered Cartilage;" Biotechnology and Bioengineering; Volume 63, No. 2, April 20, 1999; pages 197-205 | | | | | | |
| | AF | HOERSTRUP, MD ET AL.; "New Pulsatile Bioreactor for In Vitro Formation of Tissue Engineered Heart Valves;" Tissue Engineering; Volume 6, No. 1, 2000; pages 75-78 | | | | | | |
| | AG | HALBERSTADT ET AL; "The In Vitro Growth of a Three-Dimensional Human Dermal Replacement Using a Single-Pass Perfusion System;" Biotechnology and Bioengineering; Volume 43, No. 4, 1994; pages 740-746 | | | | | | |
| | АН | VUNJAK-NOKAKOVIC ET AL.; "Dynamic Cell Seeding of Polymer Scaffolds for Cartilage Tissue Engineering;" Biotechnol. Prog. 1998, Volume 14, No. 2; pages 193-202 | | | | | | |
| | AI | KIM, MD ET Engineering; | AL.; "Dynamic Se Vol 6, No. 1, 200 | eeding and in Vitro 0; pages 39-44 | Culture of Hepatocytes in | a Flow Perfusion System;" Tissu | е | |
| | A.J | MA ET AL.; ' in a Fiber-Ba | Development of a sed Bioreactor S | an in Vitro Human ystem;" Tissue Er | Placenta Model by the Cuc agineering; Vol. 5, No. 2; (19 | otivation of Human Trophoblasts 1999); pages 91-101 | | |
| | AK | FREED ET A Biochemistry | AL.; "Cuotivation o Volume 51; 1993 | of Cell-Polymer Ca 3; pages 257-264 | artilage Implants in Bioreact | ors;" Journal of Cellular | | |
| | AL | SITTINGER; No. 1; 1997; | "Artificial tissues pages 57-62 | in perfusion cultu | re;" The International Journ | al of Artificial Organs; Volume 20 |), | |
| | AM | NIKLASON; | "Functional Arteri | es Grown in Vitro | " Science; Vol. 284; April 1 | 6, 1999; pages 489-493 | | |
| | AN | NIELSEN; "B | Bioreactors For He | ematopoietic Cell | Culture;" Annu. Rev. Biome | d. Eng.; 1999; pages 129-152 | | |
| | AO | LI ET AL.; "H Simulation of 2001; pages | f the Marrow Micr | dematopolesis in oenvironment", Jo | Three Dimensional Nonwov cunral of Hematotherapy & | en Firbous Matrices: In Vitro Stem Cell Research; Vol. 10; | | |
| | AP | COLLINS ET Controlled, S | AL.; "Characteri: Stirred-Tank Biore | zation of Hemator actor System;" B | poletic Cell Expansion, Oxygotechnol. Prog. 1998 Volum | gen Uptake, and Glycolysis in a e 14; pages 466-472 | | |
| 1 | AQ | MA ET AL.; Placental Tro | 'Oxygen Tension ophoblast-Like Ce | Influences Prolife | ration and Differentialtion In sering, Volume 7, No. 5, 200 | a Tissue-Engineered Model of 01; pages 495-506 | | |

| Examiner Signature | J. KETTER | Date Considered | 10/27/04 |
|-----------------------|-----------|--------------------|----------|

"EXAMINER: initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}Unique citation designation number. * See attached Kinds of U.S., Patent Documents. * Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. * Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. * Applicant is to place a check mark here if English language Translation is attached.